

1. P Valdivia, D Stutman, C Stoeckl, C Mileham, I Begishev, W Theobald, J Bromage, S Regan, S Klein, G Muñoz-Cordovez, M Vescovi, V Valenzuela-Villaseca and **F Veloso**. *Talbot-Lau x-ray deflectometer electron density diagnostic for laser and pulsed power high energy density plasma experiments*. Rev Sci Instrum 87, 11D501
2. **Birger Seifert**, Robert Alastair Wheatley, Ricardo Rojas-Aedo, **Sascha Wallentowitz**, **Ulrich Volkmann**, Karsten Sperlich and Heinrich Stolz. *Unambiguous ultrashort pulse reconstruction from double spectrograms alone*. J. Opt. 18, 105502. DOI: 10.1088/2040-8978/18/10/105502.
3. A. García, Y. Quintero, N. Vicencio, B. Rodríguez, D. Ozturk, E. Mosquera, T. P. Corrales and **U. G. Volkmann**. *Influence of TiO<sub>2</sub> nanostructures on anti-adhesion and photoinduced bactericidal properties of thin film composite membranes*. RSC Adv. 6, 82941-82948. DOI: 10.1039/C6RA17999A.
4. **Maria Jose Retamal**, Tomas P. Corrales, Marcelo A. Cisternas, Nicolas H. Moraga, Diego I. Diaz, Rodrigo E. Catalan, **Birger Seifert**, Patrick Huber, and **Ulrich G. Volkmann**. *Surface Morphology of Vapor-Deposited Chitosan: Evidence of Solid-State Dewetting during the Formation of Biopolymer Films*. Biomacromolecules, 2016, 17 (3), pp 1142–1149. DOI: 10.1021/acs.biomac.5b01750
5. **D.E. Diaz-Droguett**, P. Nuñez, **A.L. Cabrera**. *The appearance of pitting on thermally grown aluminum oxide caused by surface segregation of Fe impurities from the bulk*. Practical Metallography, volume 53, N° 11, Pages 681-695.
6. P. Saikia, **H. Bhuyan**, **D.E. Diaz-Droguett**. *Effect of hydrogen addition on the deposition of titanium nitride thin films in nitrogen added argon magnetron plasma*. Journal of Physics D: Applied Physics 49, N° 22.
7. F. Lasserre, A. Rosenkranz, N. Souza, M. Roble, **E. Ramos-Moore**, **D.E. Diaz-Droguett**, F. Mücklich. *Simultaneous deposition of carbon nanotubes and decoration with gold-palladium nanoparticles by laser-induced forward transfer*. Applied Physics A-Materials Science and Processing, volume 122, N°3.
8. **Benguria, R. D.** and **Depassier M.C.** *Reaction diffusion dynamics and the Schryer-Walker solution for domain walls of the Landau-Lifshitz-Gilbert equation*. Phys. Rev. B 93, 144416.
9. **Benguria, R. D.**, **Depassier, M. C** and Loss M. *Monotonicity of the period of a non linear oscillator*. Nonlinear Analysis TMA, 140, 61.
10. J-M. Barbaroux, J. Mehringer, **E. Stockmeyer**, and A. Tarabt. *Dynamical localization of Dirac particles in electromagnetic fields with dominating magnetic potentials*. J. of Differential Equations, 260 (7), 5912- 5925.
11. H. Falomir, P.A.G. Pisani, F. Vega, D. Cárcamo, F. Cárcamo, **M. Loewe**. *On the algebraic structure of rotationally invariant two-dimensional Hamiltonians on the noncommutative phase space*. J. Phys. A: Mathematical and Theoretical 49 (2016) 055202.

12. A. Ayala, C. A. Dominguez, L. A. Hernández, **M. Loewe**, R. Zamora. *Inverse magnetic catalysis from the properties of the QCD coupling in a magnetic field*. Physics Letters B 759 (2016) 99.
13. A. Ayala, C. A. Dominguez, L. A. Hernandez, **M. Loewe**, A. Raya, J. C. Rojas y C. Villavicencio. *Thermo-magnetic properties of the strong coupling in the local Nambu-Jona-Lasinio model*. Physical Review D 94 (2016) no.5, 054019.
14. D. Valenzuela, S. Hernández-Ortiz, **M. Loewe**, A. Raya. *Atomic Collapse in Graphene: Lost of Unitarity*. J. Phys. A: Math. and Theor. (2016) 49 5302.
15. Sarabia, MA; Rojas, SD; Lopez-Cabana, Z; Villalba, R; Gonzalez, G; **Cabrera, AL**. *Carbon dioxide adsorption studies on delafossite CuFeO<sub>2</sub> hydrothermally synthesized*. Journal of Physics and Chemistry of Solids. Volume: 98 Pages: 271-279 DOI: 10.1016/j.jpcs.2016.07.013
16. Rojas, S; Joshi, T; Wheatley, RA; Sarabia, M; Borisov, P; Lederman, D; **Cabrera A**. *Optical detection of carbon dioxide adsorption on epitaxial CuFe<sub>1-x</sub>GaxO<sub>2</sub> Delafossite film grown by pulse laser deposition*. Surface Science. Volume: 648 Pages: 23-28 Special Issue: SI DOI: 10.1016/j.susc.2015.10.018
17. **Gago-Arias, I. Espinoza, B. Sánchez-Nieto** and J. Pardo-Montero. *Modelling of radiation-induced cell death and re-oxygenation: Local versus global and instant versus delayed cell death*. Phys. Med. Biol. 61 (2016) 1204–1216.
18. P. Saikia, **H. Bhuyan, D. Diaz**, F. Guzman, S. Maendl, B.K. Saikia, **M. Favre, J. Maze** and **E. Wyndham**. *Effect of hydrogen addition on the deposition of titanium nitride thin films in nitrogen added argon magnetron plasma*. Journal of Physics D: Applied Physics 49 (22), 225203 (2016).
19. P. Saikia, B.K. Saikia and **H. Bhuyan**. *Study on the effect of hydrogen addition on the variation of plasma parameters of argon-oxygen magnetron glow discharge for synthesis of TiO<sub>2</sub> films*. AIP Advances 6 (4), 045206 (2016).
20. D. Das, B. Battacharyya, **E. Muñoz** and A. Singh. *Strain-induced chiral symmetry breaking leads to large Dirac cone splitting in graphane/graphene heterostructure*. Physical Review B 94, 115438 (2016). DOI: 10.1133/PhysRevB.94.115438.
21. **E. Muñoz**, F. J. Peña and A. Gonzalez. *Magnetically-Driven quantum heat engines: The quasi-static limit of their efficiency*. Entropy 18, 173 (2016). DOI: 10.3390/e18050173. <http://www.mdpi.com/1099-4300/18/5/173>.
22. Benjamin Koch, Ignacio A. Reyes, and Angel Rincón. *A scale dependent black hole in three-dimensional space-time*. Class. Quant.Grav.33:225010, 2016; [arXiv:1606.04123].
23. Cristopher González and Benjamin Koch. *Improved Reissner-Nordstrom-(A)dS Black Hole in Asymptotic Safety*. Int.J. Mod.Phys.A31:1650141, 2016;[arXiv:1508.01502].
24. Paola Arias, Christian Diaz, **Marco Aurelio Diaz**, Joerg Jaeckel, **Benjamin Koch**, and Javier Redondo. *Hidden Photons in Aharonov-Bohm-Type Experiments*. Phys.Rev. D94:015017, 2016; [arXiv:1603.01282].

25. Cristobal Armaza, Sergio A. Hojman, **Benjamin Koch**, and Nicolas Zalaquett. *On the Possibility of Non-Geodesic Motion of the Massless Spinning Top Class*. Quant.Grav.33:145011, 2016; [arXiv:1601.05809].
26. Edan Lerner, **Gustavo Düring**, and Eran Bouchbinder. *Statistics and Properties of Low-Frequency Vibrational Modes in Structural Glasses*. Phys. Rev. Lett. 117, 035501 – Published 12 July 2016.
27. **Gustavo Düring**, Edan Lerner, and Matthieu Wyart. *Effect of particle collisions in dense suspension flows*. Phys. Rev. E 94, 022601 – Published 4 August 2016.
28. D.F. Mundarain, **M. Orszag**. *Quantumness of the anomalous weak measurement value*. Phys. Rev.A, 93, 032106 (2016).
29. R. Coto, **M. Orszag**, V.Eremeev. *Generation and protection of Maximally Entangled State between many modes in an optical network with dissipation*. Phys. Rev. A, 93, 062302 (2016).
30. RA Gallardo, **RL Rodríguez-Suárez**, P Landeros. *Defect-induced magnon scattering mechanisms in exchange-coupled bilayers*. Journal of Applied Physics 120 (22), 223904.
31. SM Rezende, **RL Rodríguez-Suárez**, RO Cunha, JCL Ortiz, A Azevedo. *Bulk magnon spin current theory for the longitudinal spin Seebeck effect*. Journal of Magnetism and Magnetic Materials 400, 171-177.
32. SM Rezende, **RL Rodríguez-Suárez**, A Azevedo. *Diffusive magnonic spin transport in antiferromagnetic insulators*. Physical Review B 93 (5), 054412.
33. SM Rezende, **RL Rodríguez-Suárez**, A Azevedo. *Theory of the spin Seebeck effect in antiferromagnets*. Physical Review B 93 (1), 014425.
34. **J. Alfaro**. *Mandelstam-Leibbrandt prescription*. Phys.Rev. D93 (2016) no.6, 065033, Erratum: Phys.Rev. D94 (2016) no.4, 049901.
35. L Irazola, JA Terrón, R Bedogni, A Pola, M Lorenzoli, **B Sánchez-Nieto**, F Gómez, F Sánchez-Doblado. *Improving the neutron-to-photon discrimination capability of detectors used for neutron dosimetry in high energy photon beam radiotherapy*. Applied Radiation and Isotopes. (2016); 115:49-54. doi: 10.1016/j.apradiso.2016.06.009
36. Irazola, L., Praena, J, Fernandez, B. Macias, M, Bedogni, R., Terrón JA, **Sánchez-Nieto, B**, Arias de Saavedra, F, Porrás, I and Sánchez-Doblado, F. *Using a tandem Pelletron accelerator to produce a thermal beam for detector testing procedures*. Applied Radiation and Isotopes 107 (2016) 330-334. <http://dx.doi.org/10.1016/j.apradiso.2015.11.020>
37. **Edgardo Doerner** and **Paola Caprile**. *Implementation of a double Gaussian source model for the BEAMnrc Monte Carlo code and its influence on small fields dose distributions*. Journal of Applied Clinical Medical Physics 17.5.
38. S. López-Moreno, A.H. Romero, **J. Mejía-López**, A. Muñoz. *First-principles study of pressure-induced structural phase transitions in MnF<sub>2</sub>*. Phys. Chem. Chem. Phys. 18, 33250.

39. A. Norambuena, S.A. Reyes, **J. Mejía-López**, A. Gali, **J.R. Maze**. *Microscopic modeling of the effect of phonons on the optical properties of solid-state emitters*. Phys. Rev. B 94, 134305.
40. A. Mejía-López, J. Mazo-Zuluaga, **J. Mejía-López**. *Sequential oxygen chemisorption on Fe13 clusters: from first-principles to practical insights*. J. Phys.: Condens. Matter 28, 485002.
41. J. Mazo-Zuluaga, E. A. Velásquez, D. Altbir, **J. Mejía-López**. *Controlling domain wall nucleation and propagation with temperature gradients*. Appl. Phys. Lett. 109, 122408.
42. S. López-Moreno, **J. Mejía-López**, F. Muñoz, A. Calles, J.L. Morán-López. *Energetics and magnetic state of Mn2 adsorbed on Au (111): Dimer bond distance dependence*. J. Mag. Mat. 403, 172 (2016).
43. **M. Banados**, R. Canto (Chile, U. Católica), S. Theisen (Potsdam, Max Planck Inst.). *Higher spin black holes in three dimensions: Remarks on asymptotics and regularity*. Jan 21, 2016. 10 pp. Phys. Rev. D94 (2016) no.2, 024002.
44. **Máximo Bañados**, Ignacio A. Reyes (Chile U., Católica). *A short review on Noether's theorems, gauge symmetries and boundary terms*. Jan 14, 2016. 74 pp Int.J.Mod.Phys. D25 (2016) no.10, 1630021.
45. **Máximo Bañados** (Chile U., Católica), Alejandra Castro (Amsterdam U.), **Alberto Faraggi** (Chile U., Católica), Juan I. Jottar (Zurich, ETH). *Extremal Higher Spin Black Holes*. Nov 30, 2015. 82 pp. Published in JHEP 1604 (2016) 077.
46. Cristóbal Armaza, **Máximo Bañados**, **Benjamin Koch** (Chile U., Católica). *Collisions of spinning massive particles in a Schwarzschild background*. Oct 5, 2015. 11 pp. Published in Class. Quant. Grav. 33 (2016) no.10, 105014.
47. **E. Ramos-Moore**, A. Rosenkranz. *Failure Analysis of Slurry Pump Impeller Fractured at Collahuasi Mine*. Practical Metallography. 53 (2016) 711-727.
48. **E. Ramos-Moore**. *Metallographic Preparation of Hard Coatings for EBSD Analysis*. Practical Metallography. 53 (2016) 665-680.
49. J. Garcia, H. Pinto, **E. Ramos-Moore**, C. Espinoza, J. Östby, R. Coelho. *In-situ high temperature stress analysis of Ti(C, N) coatings on functionally graded cemented carbides by energy dispersive synchrotron X-ray diffraction*. International Journal of Refractory Metals and Hard Materials. 56 (2016) 27-34.
50. F. Lasserre, A. Rosenkranz, N.S. Carmona, M. Roble, **E. Ramos-Moore**, **D.E. Diaz-Droguett**, et al. *Simultaneous deposition of carbon nanotubes and decoration with gold-palladium nanoparticles by laser-induced forward transfer*. Applied Physics A. 122 (2016) 1-8.
51. A. Rosenkranz, C. Gachot, **E. Ramos-Moore**, F. Mücklich. *Laser Interference Patterning of Steel Surfaces - Influence on the Frictional Performance under Dry and Lubricated Sliding Conditions*. Tribology Online. 11 (2016) 575-582.
52. **E. Arévalo** and **L. Morales-Molina**. *Nonlinear excitations in the honeycomb lattice: beyond the high-symmetry points of the band structure*. Phys. Rev. A Vol. 93, 053816 (2016).

53. F. G. Mertens, F. Cooper, **E. Arévalo**, A. Khare, A. Saxena, A. R. Bishop. *Variational Approach to studying solitary waves in the NLSE with Complex Potentials*. Phys. Rev. E Vol. 94, 032213 (2016).
54. **L. Morales-Molina, S. Reyes** and **E. Arévalo**. *Pair-Superfluidity as a Signature of Entanglement: A Bosonic Mixture in Gauge Field Ring Lattices*. EPL Vol. 115, 36004 (2016).
55. J. M. Boss, K. Chang, J. Armijo, K. Cujia, T. Roskopf, **J. R. Maze**, C. L. Degen. *One- and two-dimensional nuclear magnetic resonance spectroscopy with a diamond quantum sensor*. Phys. Rev. Lett. 116, 197601 (2016).
56. P. Jamonneau, M. Lesik, J. P. Tetienne, I. Alvizu, L. Mayer, A. Drau, S. Kosen, J.-F. Roch, S. Pezzagna, J. Meijer, T. Teraji, Y. Kubo, P. Bertet, **J. R. Maze**, and V. Jacques. *Competition between electric field and magnetic field noise in the decoherence of a single spin in diamond*. Phys. Rev. B 93, 024305 (2016).
57. Ariel Norambuena, **Sebastián A. Reyes, José Mejía-Lopéz**, Adam Gali, and **Jerónimo R. Maze**. *Microscopic modeling of the effect of phonons on the optical properties of solid-state emitters*. Phys. Rev. B 94, 134305 (2016).
58. K. V. Kepesidis, M. -A. Lemonde, A. Norambuena, **J. R. Maze**, and P. Rabl. *Cooling phonons with phonons: Acoustic reservoir engineering with silicon-vacancy centers in diamond*. Phys. Rev. B, Phys. Rev. B 94, 214115 (2016).
59. Rodrigo A. Segura, Fernanda Olivares, **Jerónimo Maze**, Patricio Häberle, and Ricardo Henríquez. *Photoelectrochemical Activity of Graphene Supported Titanium Dioxide*. Journal of Nanomaterials, vol. 2016, Article ID 7914189, 6 pages, 2016. doi:10.1155/2016/7914189.
60. L. J. Martínez, T. Pelini, V. Waselowski, **J. R. Maze**, B. Gil, G. Cassabois, and V. Jacques. *Efficient single photon emission from a high-purity hexagonal boron nitride crystal*. Phys. Rev. B 94, 121405(R) (2016).
61. **Marco Aurelio Díaz, Benjamin Koch**, Sebastián Urrutia-Quiroga. *Constraints to Dark Matter from Inert Higgs Doublet Model*. Ad. High Energy Phys. 2016, 8278375 (2016) [arXiv:1511.04429, hep-ph].
62. Edson Carquin, **Marco A. Díaz**, Germán A. Gomez-Vargas, Boris Panes, Nicolás Viaux. *Confronting recent AMS-02 positron fraction and Fermi-LAT extragalactic  $\gamma$ -ray background measurements with gravitino dark matter*. Phys. Dark Univ. 11, 1 (2016)
63. Daya Bay and MINOS Collaborations (P. Adamson et al.) *Limits on Active to Sterile Neutrino Oscillations from Disappearance Searches in the MINOS, Daya Bay, and Bugey-3 Experiments*. arXiv:1607.01177, Phys. Rev. Lett. 117 (2016) no.15, 151801, Addendum: Phys. Rev.Lett. 117 (2016) no.20, 209901.
64. Daya Bay Collaboration (Feng Peng An et al.) *Improved Search for a Light Sterile Neutrino with the Full Configuration of the Daya Bay Experiment*. arXiv:1607.01174 [hep-ex]. 10.1103/PhysRevLett.117.151802. Phys.Rev. Lett. 117 (2016) no.15, 151802.

65. Daya Bay Collaboration (F.P. An et al.). *New measurement of  $\theta_{13}$  via neutron capture on hydrogen at Daya Bay.* arXiv:1603.03549 [hep-ex]. 0.1103/PhysRevD.93.072011. Phys.Rev. D93 (2016) no.7, 072011.
66. Daya Bay Collaboration (Feng Peng An et al.). *Measurement of the Reactor Antineutrino Flux and Spectrum at Daya Bay.* arXiv:1508.04233 [hep-ex]. 10.1103/PhysRevLett.116.061801, 10.1103/PhysRevLett.118.099902. Phys. Rev. Lett. 116 (2016) no.6, 061801, Erratum: Phys. Rev. Lett. 118 (2017) no.9, 099902.
67. Daya Bay Collaboration (F.P. An et al.). *The Detector System of The Daya Bay Reactor Neutrino Experiment.* arXiv:1508.03943, Nucl.Instrum. Meth. A811 (2016) 133-161.
68. JUNO Collaboration (Fengpeng An et al.). *Neutrino Physics with JUNO.* J.Phys. G43 (2016) no.3, 030401.
69. ATLAS Collaboration (Georges Aad et al.). *A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions.* JINST 11, P11020 (2016).
70. ATLAS Collaboration (Morad Aaboud et al.). *Luminosity determination in pp collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector at the LHC.* Eur. Phys. J. C 76, 653 (2016).
71. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of  $W+W^-$  production in association with one jet in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector.* Phys. Lett. B 763, 114 (2016).
72. ATLAS Collaboration (Morad Aaboud et al.). *Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Phys. Lett. B 763, 251 (2016).
73. ATLAS Collaboration (Morad Aaboud et al.). *Study of hard double-parton scattering in four-jet events in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment.* JHEP 11, 110 (2016).
74. ATLAS Collaboration (Morad Aaboud et al.). *Search for Minimal Supersymmetric Standard Model Higgs bosons  $H/A$  and for a  $Z'$  boson in the  $\tau\tau$  final state produced in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector.* Eur. Phys. J. C 76, 585 (2016).
75. ATLAS Collaboration (Morad Aaboud et al.). *Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in  $\sqrt{s} = 8$  TeV proton-proton collisions.* JHEP 09, 075 (2016).
76. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of the  $bb$  dijet cross section in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector.* Eur. Phys. J. C 76, 670 (2016).
77. ATLAS Collaboration (Morad Aaboud et al.). *Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Eur. Phys. J. C 76, 541 (2016).
78. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of top quark pair differential cross-sections in the dilepton channel in pp collisions at  $\sqrt{s} = 7$  and 8 TeV with ATLAS.* Phys. Rev. D 94, 092003 (2016).

79. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of the total cross section from elastic scattering in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Phys. Lett. B 761, 158 (2016).
80. ATLAS Collaboration (Morad Aaboud et al.). *Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 13$  TeV recorded with the ATLAS detector*. Eur. Phys. J. C 76, 683 (2016).
81. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of exclusive  $\nu\bar{\nu} + W+W-$  production and search for exclusive Higgs boson production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector*. Phys. Rev. D 94, 032011 (2016).
82. ATLAS Collaboration (Morad Aaboud et al.). *Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. Phys. Lett. B 761, 372 (2016).
83. ATLAS Collaboration (Morad Aaboud et al.). *Search for Higgs and Z Boson Decays to  $\phi\gamma$  with the ATLAS Detector*. Phys. Rev. Lett. 117, 111802 (2016).
84. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of jet activity in top quark events using the  $e\mu$  final state with two b-tagged jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. JHEP 09, 074 (2016).
85. ATLAS Collaboration (Morad Aaboud et al.). *Search for supersymmetry in a final state containing two photons and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions at the LHC using the ATLAS detector*. Eur. Phys. J. C 76, 517 (2016).
86. ATLAS Collaboration (Morad Aaboud et al.). *Search for bottom squark pair production in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 547 (2016).
87. ATLAS Collaboration (Morad Aaboud et al.). *Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in  $pp$  collisions at 13 TeV with the ATLAS detector*. Eur. Phys. J. C 76, 605 (2016).
88. ATLAS Collaboration (Georges Aad et al.). *The performance of the jet trigger for the ATLAS detector during 2011 data taking*. Eur. Phys. J. C 76, 526 (2016)
89. ATLAS Collaboration (Morad Aaboud et al.). *Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb<sup>-1</sup> of proton-proton collision data at  $\sqrt{s} = 13$  TeV*. Phys. Lett. B 760, 647 (2016) [arXiv:1606.05129, hep-ex].
90. ATLAS Collaboration (Morad Aaboud et al.). *Searches for heavy diboson resonances in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. JHEP 09, 173 (2016) [arXiv:1606.04833, hep-ex].
91. ATLAS Collaboration (Morad Aaboud et al.). *Search for pair production of Higgs bosons in the  $b\bar{b}b\bar{b}$  final state using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. Phys. Rev. D 94, 052002 (2016) [arXiv:1606.04782, hep-ex].
92. ATLAS Collaboration (Morad Aaboud et al.). *Measurement of the  $W\pm Z$  boson pair-production cross section in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector*. Phys. Lett. B 762, 1 (2016) [arXiv:1606.04017, hep-ex].

93. ATLAS Collaboration (Morad Aaboud et al.). *Search for new resonances in events with one lepton and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. Phys. Lett. B 762, 334 (2016) [arXiv:1606.03977, hep-ex].
94. ATLAS Collaboration (Morad Aaboud et al.). *Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector*. Phys. Rev. D 94, 052009 (2016) [arXiv:1606.03903, hep-ex].
95. ATLAS Collaboration (Morad Aaboud et al.). *Search for resonances in diphoton events at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. JHEP 09, 001 (2016) [arXiv:1606.03833, hep-ex].
96. ATLAS Collaboration (Georges Aad et al.). *Measurement of the  $t\bar{t}$  production cross-section using  $e\mu$  events with  $b$ -tagged jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. Phys. Lett. B 761, 136 (2016) [arXiv:1606.02699, hep-ex].
97. ATLAS Collaboration (Georges Aad et al.). *Measurement of the Inelastic Proton-Proton Cross Section at  $\sqrt{s} = 13$  TeV with the ATLAS Detector at the LHC*. Phys. Rev. Lett. 117, 182002 (2016) [arXiv:1606.02625, hep-ex].
98. ATLAS Collaboration (Georges Aad et al.). *Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC  $pp$  collision data at  $\sqrt{s} = 7$  and  $8$  TeV*. JHEP 08, 045 (2016) [arXiv:1606.02266, hep-ex].
99. ATLAS Collaboration (Georges Aad et al.). *Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at  $\sqrt{s} = 13$  TeV*. Phys. Lett. B 760, 520 (2016) [arXiv:1606.02265, hep-ex].
100. ATLAS Collaboration (Georges Aad et al.). *Search for the Standard Model Higgs boson produced by vector-boson fusion in  $8$  TeV  $pp$  collisions and decaying to bottom quarks with the ATLAS detector*. JHEP 11, 112 (2016) [arXiv:1606.02181, hep-ex].
101. ATLAS Collaboration (Georges Aad et al.). *Measurement of the top quark mass in the  $t\bar{t}l$  dilepton channel from  $\sqrt{s} = 8$  TeV ATLAS data*. Phys. Lett. B 761, 350 (2016) [arXiv:1606.02179, hep-ex].
102. ATLAS Collaboration (Georges Aad et al.). *Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data*. Eur. Phys. J. C 76, 666 (2016) [arXiv:1606.01813, hep-ex].
103. ATLAS Collaboration (Georges Aad et al.). *Measurement of the double-differential high-mass Drell-Yan cross section in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. JHEP 08, 009 (2016) [arXiv:1606.01736, hep-ex].
104. ATLAS Collaboration (Georges Aad et al.). *Charged-particle distributions at low transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  interactions measured with the ATLAS detector at the LHC*. Eur. Phys. J. C 76, 502 (2016) [arXiv:1606.01133, hep-ex].
105. ATLAS Collaboration (Georges Aad et al.). *Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. JHEP 08, 159 (2016) [arXiv:1606.00689, hep-ex].



106. ATLAS Collaboration (Georges Aad et al.). *Search for pair production of gluinos decaying via stop and sbottom in events with b-jets and large missing transverse momentum in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Phys. Rev. D 94, 032003 (2016) [arXiv:1605.09318, hep-ex].
107. ATLAS Collaboration (Georges Aad et al.). *Measurement of the relative width difference of the  $B_0 - \bar{B}_0$  system with the ATLAS detector.* JHEP 06, 081 (2016) [arXiv:1605.07485, hep-ex].
108. ATLAS Collaboration (Georges Aad et al.). *Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in  $\sqrt{s_{NN}} = 5.02$  TeV p+Pb collisions measured by the ATLAS experiment.* Phys. Lett. B 763, 313 (2016) [arXiv:1605.06436, hep-ex].
109. ATLAS Collaboration (Georges Aad et al.). *Search for scalar leptoquarks in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment.* New J. Phys. 18, 093016 (2016) [arXiv:1605.06035, hep-ex].
110. ATLAS Collaboration (Georges Aad et al.). *Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Eur. Phys. J. C 76, 565 (2016) [arXiv:1605.04285, hep-ex].
111. ATLAS Collaboration (Georges Aad et al.). *Search for squarks and gluinos in final states with jets and missing transverse momentum at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Eur. Phys. J. C 76, 392 (2016) [arXiv:1605.03814, hep-ex].
112. ATLAS Collaboration (Georges Aad et al.). *Measurement of the inclusive isolated prompt photon cross section in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector.* JHEP 08, 005 (2016) [arXiv:1605.03495, hep-ex].
113. ATLAS Collaboration (Georges Aad et al.). *Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector.* Phys. Rev. D 94, 032005 (2016) [arXiv:1604.07773, hep-ex].
114. ATLAS Collaboration (Georges Aad et al.). *Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at  $\sqrt{s} = 8$  TeV with the ATLAS detector.* Phys. Rev. D 94, 032006 (2016) [arXiv:1604.05538, hep-ex].
115. ATLAS Collaboration (Georges Aad et al.). *Measurements of  $Z\gamma$  and  $Z\gamma\gamma$  production in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector.* Phys. Rev. D 93, 112002 (2016) [arXiv:1604.05232, hep-ex].
116. ATLAS Collaboration (Georges Aad et al.). *Search for metastable heavy charged particles with large ionization energy loss in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS experiment.* Phys. Rev. D 93, 112015 (2016) [arXiv:1604.04520, hep-ex].
117. ATLAS Collaboration (Georges Aad et al.). *Study of the rare decays of  $B_0$ s and  $B_0$  into muon pairs from data collected during the LHC Run 1 with the ATLAS detector.* Eur. Phys. J. C 76, 513 (2016) [arXiv:1604.04263, hep-ex].
118. ATLAS Collaboration (Georges Aad et al.). *Search for the Standard Model Higgs boson decaying into  $b\bar{b}$  produced in association with top quarks decaying hadronically in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector.* JHEP 05, 160 (2016) [arXiv:1604.03812, hep-ex].

119. ATLAS Collaboration (Georges Aad et al.). *Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to  $WW\gamma \rightarrow e\nu\mu\nu$  with the ATLAS detector at  $\sqrt{s} = 8$  TeV.* JHEP 08, 104 (2016) [arXiv:1604.02997, hep-ex].
120. ATLAS Collaboration (Georges Aad et al.). *Search for new phenomena in events with a photon and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* JHEP 06, 059 (2016) [arXiv:1604.01306, hep-ex].
121. ATLAS Collaboration (Georges Aad et al.). *Measurement of  $W^\pm$  and Z-boson production cross sections in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Phys. Lett. B 759, 601 (2016) [arXiv:1603.09222, hep-ex].
122. ATLAS Collaboration (Georges Aad et al.). *Search for charged Higgs bosons produced in association with a top quark and decaying via  $H^\pm \rightarrow \tau\nu$  using  $pp$  collision data recorded at  $\sqrt{s} = 13$  TeV by the ATLAS detector.* Phys. Lett. B 759, 555 (2016) [arXiv:1603.09203, hep-ex].
123. ATLAS Collaboration (Georges Aad et al.). *Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period.* JINST 11, P05013 (2016) [arXiv:1603.09202, hep-ex].
124. ATLAS Collaboration (Georges Aad et al.). *Search for resonances in the mass distribution of jet pairs with one or two jets identified as  $b$ -jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector.* Phys. Lett. B 759, 229 (2016).
125. ATLAS Collaboration (Georges Aad et al.). *Muon reconstruction performance of the ATLAS detector in proton-proton collision data at  $\sqrt{s} = 13$  TeV.* Eur. Phys. J. C 76, 292 (2016) [arXiv:1603.05598, hep-ex].
126. ATLAS Collaboration (Georges Aad et al.). *Identification of high transverse momentum top quarks in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector.* JHEP 06, 093 (2016) [arXiv:1603.03127, hep-ex].
127. ATLAS Collaboration (Georges Aad et al.). *Charged-particle distributions in  $pp$  interactions at  $\sqrt{s} = 8$  TeV measured with the ATLAS detector at the LHC.* Eur. Phys. J. C 76, 403 (2016) [arXiv:1603.02439, hep-ex].
128. ATLAS Collaboration (Georges Aad et al.). *Measurements of  $W^\pm Z$  production cross sections in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector and limits on anomalous gauge boson self-couplings.* Phys. Rev. D 93, 092004 (2016) [arXiv:1603.02151, hep-ex].
129. ATLAS Collaboration (Georges Aad et al.). *Measurement of total and differential  $W^+W^-$  production cross sections in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings.* JHEP 09, 029 (2016) [arXiv:1603.01702, hep-ex].
130. ATLAS Collaboration (Georges Aad et al.). *Search for supersymmetry at  $\sqrt{s} = 13$  TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector.* Eur. Phys. J. C 76, 259 (2016) [arXiv:1602.09058, hep-ex].
131. ATLAS Collaboration (Georges Aad et al.). *Measurement of event-shape observables in  $Z \rightarrow \ell^+\ell^-$  events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC.* Eur. Phys. J. C 76, 375 (2016) [arXiv:1602.08980, hep-ex].

132. ATLAS Collaboration (Georges Aad et al.). *Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using  $\sqrt{s} = 13$  TeV proton-proton collisions*. Phys. Lett. B 757, 334 (2016) [arXiv:1602.06194, hep-ex].
133. ATLAS Collaboration (Georges Aad et al.). *Search for single production of a vector-like quark via a heavy gluon in the  $4b$  final state with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV*. Phys. Lett. B 758, 249 (2016) [arXiv:1602.06034, hep-ex].
134. ATLAS Collaboration (Georges Aad et al.). *Search for single production of vector-like quarks decaying into  $Wb$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 442 (2016) [arXiv:1602.05606, hep-ex].
135. ATLAS Collaboration (Georges Aad et al.). *Test of CP Invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector*. Eur. Phys. J. C 76, 658 (2016) [arXiv:1602.04516, hep-ex].
136. ATLAS Collaboration (Georges Aad et al.). *Charged-particle distributions in  $\sqrt{s} = 13$  TeV  $pp$  interactions measured with the ATLAS detector at the LHC*. Phys. Lett. B 758, 67 (2016) [arXiv:1602.01633, hep-ex].
137. ATLAS Collaboration (Georges Aad et al.). *Measurement of the charged-particle multiplicity inside jets from  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector*. Eur. Phys. J. C 76, 322 (2016) [arXiv:1602.00988, hep-ex].
138. ATLAS Collaboration (Georges Aad et al.). *A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in  $\sqrt{s} = 8$  TeV proton-proton collisions*. JHEP 06, 067 (2016) [arXiv:1601.07453, hep-ex].
139. ATLAS Collaboration (Georges Aad et al.). *A search for an excited muon decaying to a muon and two jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. New J. Phys. 18, 073021 (2016) [arXiv:1601.05627, hep-ex].
140. ATLAS Collaboration (Georges Aad et al.). *Probing lepton flavour violation via neutrinoless  $\tau \rightarrow 3\mu$  decays with the ATLAS detector*. Eur. Phys. J. C 76, 232 (2016) [arXiv:1601.03567, hep-ex].
141. ATLAS Collaboration (Georges Aad et al.). *Measurement of the CP-violating phase  $\varphi_s$  and the  $B_0 s$  meson decay width difference with  $B_0 s \rightarrow J/\psi \phi$  decays in ATLAS*. JHEP 08, 147 (2016) [arXiv:1601.03297, hep-ex].
142. ATLAS Collaboration (Georges Aad et al.). *Measurement of the charge asymmetry in highly boosted top-quark pair production in  $\sqrt{s} = 8$  TeV  $pp$  collision data collected by the ATLAS experiment*. Phys. Lett. B 756, 52 (2016) [arXiv:1512.06092, hep-ex].
143. ATLAS Collaboration (Georges Aad et al.). *Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment*. Eur. Phys. J. C 76, 295 (2016) [arXiv:1512.05955, hep-ex].
144. ATLAS Collaboration (Georges Aad et al.). *Search for new phenomena with photon+jet events in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*. JHEP 03, 041 (2016) [arXiv:1512.05910, hep-ex].

145. ATLAS Collaboration (Georges Aad et al.). *Measurement of the ZZ Production Cross Section in pp Collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector*. Phys. Rev. Lett. 116, 101801 (2016) [arXiv:1512.05314, hep-ex].
146. ATLAS Collaboration (Georges Aad et al.). *Combination of searches for WW, WZ, and ZZ resonances in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Phys. Lett. B 755, 285 (2016) [arXiv:1512.05099, hep-ex].
147. ATLAS Collaboration (Georges Aad et al.). *Search for charged Higgs bosons in the  $H^{\pm} \rightarrow tb$  decay channel in pp collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector*. JHEP 03, 127 (2016) [arXiv:1512.03704, hep-ex].
148. ATLAS Collaboration (Georges Aad et al.). *Measurement of the differential cross-sections of prompt and non-prompt production of  $J/\psi$  and  $\psi(2S)$  in pp collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector*. Eur. Phys. J. C 76, 283 (2016) [arXiv:1512.03657, hep-ex].
149. ATLAS Collaboration (Georges Aad et al.). *Measurement of  $D^0$ ,  $D^{\pm}$  and  $D^{\pm} s$  meson production cross sections in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector*. Nucl. Phys. B 907, 717 (2016) [arXiv:1512.02913, hep-ex].
150. ATLAS Collaboration (Georges Aad et al.). *Search for strong gravity in multijet final states produced in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC*. JHEP 03, 026 (2016) [arXiv:1512.02586, hep-ex].
151. ATLAS Collaboration (Georges Aad et al.). *Measurement of the transverse momentum and  $\phi$  distributions of Drell-Yan lepton pairs in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 291 (2016) [arXiv:1512.02192, hep-ex].
152. ATLAS Collaboration (Georges Aad et al.). *Search for New Phenomena in Dijet Mass and Angular Distributions with the ATLAS Detector at  $\sqrt{s} = 13$  TeV*. Phys. Lett. B 754, 302 (2016) [arXiv:1512.01530, hep-ex].
153. ATLAS Collaboration (Georges Aad et al.). *Performance of b-Jet Identification in the ATLAS Experiment*. JINST 11, P04008 (2016) [arXiv:1512.01094, hep-ex].
154. ATLAS Collaboration (Georges Aad et al.). *Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at  $\sqrt{s} = 2.76$  TeV with ATLAS*. Phys. Lett. B 756, 10 (2016) [arXiv:1512.00197, hep-ex].
155. ATLAS Collaboration (Georges Aad et al.). *Search for the Standard Model Higgs boson produced in association with a vector boson and decaying into a tau pair in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Phys. Rev. D 93, 092005 (2016) [arXiv:1511.08352, hep-ex].
156. ATLAS Collaboration (Georges Aad et al.). *Evidence for single top-quark production in the s-channel in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector using the Matrix Element Method*. Phys. Lett. B 756, 228 (2016) [arXiv:1511.05980, hep-ex].
157. ATLAS Collaboration (Georges Aad et al.). *A search for prompt lepton-jets in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. JHEP 02, 062 (2016) [arXiv:1511.05542, hep-ex].

158. ATLAS Collaboration (Georges Aad et al.). *Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ps = 8 TeV using the ATLAS detector*. Eur. Phys. J. C 76, 538 (2016) [arXiv:1511.04716, hep-ex].
159. ATLAS Collaboration (Georges Aad et al.). *Dijet production in ps = 7 TeV pp collisions with large rapidity gaps at the ATLAS experiment*. Phys. Lett. B 754, 214 (2016) [arXiv:1511.00502, hep-ex].
160. ATLAS Collaboration (Georges Aad et al.). *Measurement of the correlations between the polar angles of leptons from top quark decays in the helicity basis at ps = 7 TeV using the ATLAS detector*. Phys. Rev. D 93, 012002 (2016) [arXiv:1510.07478, hep-ex].
161. ATLAS Collaboration (Georges Aad et al.). *Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at ps = 8 TeV with the ATLAS detector*. Phys. Rev. D 93, 072007 (2016) [arXiv:1510.06218, hep-ex].
162. ATLAS Collaboration (Georges Aad et al.). *Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at ps = 8 TeV*. Eur. Phys. J. C 76, 154 (2016) [arXiv:1510.05821, hep-ex].
163. ATLAS Collaboration (Georges Aad et al.). *Performance of pile-up mitigation techniques for jets in pp collisions at ps = 8 TeV using the ATLAS detector*. Eur. Phys. J. C 76, 581 (2016) [arXiv:1510.03823, hep-ex].
164. ATLAS Collaboration (Georges Aad et al.). *Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in ps = 8 TeV proton-proton collisions using the ATLAS detector*. Phys. Rev. D 93, 032009 (2016) [arXiv:1510.03818, hep-ex].
165. ATLAS Collaboration (Georges Aad et al.). *Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector*. JHEP 04, 023 (2016) [arXiv:1510.03764, hep-ex].
166. ATLAS Collaboration (Georges Aad et al.). *Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment*. JHEP 01, 064 (2016) [arXiv:1510.03752, hep-ex].
167. ATLAS Collaboration (Georges Aad et al.). *Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ps = 8 TeV with the ATLAS detector*. JHEP 02, 110 (2016) [arXiv:1510.02664, hep-ex].
168. ATLAS Collaboration (Georges Aad et al.). *Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector*. Phys. Rev. D 93, 052009 (2016) [arXiv:1509.08059, hep-ex].
169. ATLAS Collaboration (Georges Aad et al.). *Measurements of four-lepton production in pp collisions at ps = 8 TeV with the ATLAS detector*. Phys. Lett. B 753, 552 (2016) [arXiv:1509.07844, hep-ex].
170. ATLAS Collaboration (Georges Aad et al.). *Search for the electroweak production of supersymmetric particles in ps = 8 TeV pp collisions with the ATLAS detector*. Phys. Rev. D 93, 052002 (2016) [arXiv:1509.07152, hep-ex].

171. ATLAS Collaboration (Georges Aad et al.). *Measurement of jet charge in dijet events from  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector*. Phys. Rev. D 93, 052003 (2016) [arXiv:1509.05190, hep-ex].
172. ATLAS Collaboration (Georges Aad et al.). *Search for new phenomena in events with at least three photons collected in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 210 (2016) [arXiv:1509.05051, hep-ex].
173. ATLAS Collaboration (Georges Aad et al.). *Search for direct scalar top pair production in final states with two tau leptons in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 81 (2016) [arXiv:1509.04976, hep-ex].
174. ATLAS Collaboration (Georges Aad et al.). *A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector*. Eur. Phys. J. C 76, 238 (2016) [arXiv:1509.04939, hep-ex].
175. ATLAS Collaboration (Georges Aad et al.). *Observation of long-range elliptic anisotropies in  $\sqrt{s} = 13$  and 2.76 TeV  $pp$  collisions with the ATLAS detector*. Phys. Rev. Lett. 116, 172301 (2016) [arXiv:1509.04776, hep-ex].
176. ATLAS Collaboration (Georges Aad et al.). *Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in  $pp$  collision data at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 87 (2016).
177. ATLAS Collaboration (Georges Aad et al.). *Search for a high-mass Higgs boson decaying to a W boson pair in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. JHEP 01, 032 (2016) [arXiv:1509.00389, hep-ex].
178. ATLAS Collaboration (Georges Aad et al.). *Search for single top-quark production via flavour changing neutral currents at 8 TeV with the ATLAS detector*. Eur. Phys. J. C 76, 55 (2016) [arXiv:1509.00294, hep-ex].
179. ATLAS Collaboration (Georges Aad et al.). *Search for invisible decays of a Higgs boson using vector-boson fusion in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. JHEP 01, 172 (2016) [arXiv:1508.07869, hep-ex].
180. ATLAS Collaboration (Georges Aad et al.). *Measurements of fiducial cross-sections for  $t\bar{t}$  production with one or two additional b-jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector*. Eur. Phys. J. C 76, 11 (2016) [arXiv:1508.06868, hep-ex].
181. ATLAS Collaboration (Georges Aad et al.). *Search for flavour-changing neutral current top-quark decays to  $qZ$  in  $pp$  collision data collected with the ATLAS detector at  $\sqrt{s} = 8$  TeV*. Eur. Phys. J. C 76, 12 (2016) [arXiv:1508.05796, hep-ex].
182. ATLAS Collaboration (Georges Aad et al.). *Searches for scalar leptquarks in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*. Eur. Phys. J. C 76, 5 (2016) [arXiv:1508.04735, hep-ex].
183. ATLAS Collaboration (Georges Aad et al.). *Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the  $H \rightarrow \gamma\gamma$  decay*

- channel at  $\sqrt{s} = 8 \text{ TeV}$  with the ATLAS detector.* Phys. Lett. B 753, 69 (2016) [arXiv:1508.02507, hep-ex].
184. ATLAS Collaboration (Georges Aad et al.). *Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at  $\sqrt{s_{NN}} = 5.02 \text{ TeV}$  with the ATLAS detector.* Eur. Phys. J. C 76, 199 (2016) [arXiv:1508.00848, hep-ex].
185. ATLAS Collaboration (Georges Aad et al.). *Study of the  $B \rightarrow c \ell J/\psi D^+ s$  and  $B \rightarrow c \ell J/\psi D^0 s$  decays with the ATLAS detector.* Eur. Phys. J. C 76, 4 (2016) [arXiv:1507.07099, hep-ex].
186. ATLAS Collaboration (Georges Aad et al.). *Search for an additional, heavy Higgs boson in the  $H \rightarrow ZZ$  decay channel at  $\sqrt{s} = 8 \text{ TeV}$  in  $pp$  collision data with the ATLAS detector.* Eur. Phys. J. C 76, 45 (2016) [arXiv:1507.05930, hep-ex].
187. ATLAS Collaboration (Georges Aad et al.). *Measurements of the Higgs boson production and decay rates and coupling strengths using  $pp$  collision data at  $\sqrt{s} = 7$  and  $8 \text{ TeV}$  in the ATLAS experiment.* Eur. Phys. J. C 76, 6 (2016) [arXiv:1507.04548, hep-ex].
188. ATLAS Collaboration (Georges Aad et al.). *Centrality, rapidity and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76 \text{ TeV}$  measured with the ATLAS detector.* Phys. Rev. C 93, 034914 (2016) [arXiv:1506.08552, hep-ex].